

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- D¹
1. (Previously Presented) A computer system comprising:

a display;

a cursor for pointing to a position within said display;

a bar rendered on said display and having a plurality of tiles associated therewith; and

a processor for varying a size of at least one of said plurality of tiles on said display when said cursor is proximate said bar on said display and for repositioning others of said plurality of tiles along said bar to accommodate the varied size of said one tile.
 2. (Original) The computer system of claim 1, wherein each of said plurality of tiles represents an object with which a user of said computer system can interact.
 3. (Original) The computer system of claim 2, wherein said objects include at least one of: applications, documents, windows and uniform resource locators.
-

4. (Previously Presented) The computer system of claim 1, wherein said at least one of a plurality of tiles includes a tile to which said cursor is closest and a plurality of tiles adjacent to said tile.

D3
5. (Previously Presented) The computer system of claim 1, wherein said processor repositions said others of said plurality of tiles in accordance with a predefined relationship between an effect width W, a default height h of said at least one of said plurality of tiles and a selected maximum height H of said at least one of said plurality of tiles.

D4
6. (Original) The computer system of claim 5, wherein said predefined relationship includes a function S defined as:

$$S = ((H - h) \div 2) \div \text{sine}(\pi \times (h \div 2) \div (W \times 2))$$

D5
7. (Previously Presented) The computer system of claim 6, wherein said others of said plurality of tiles each has a left edge and a right edge located at distances d_1 and d_2 from said cursor, and is moved to a position such that said left edge has a distance d_1' from said cursor and said right edge has a distance d_2' from said cursor wherein:

$$d_1' = S \times \text{sine}(\pi \div 2 \times d_1 \div W)$$

$$d_2' = S \times \text{sine}(\pi \div 2 \times d_2 \div W).$$

8. (Previously Presented) The computer system of claim 7, wherein said at least one of said plurality of tiles is scaled by a factor of:

$$1 + (d_2' - d_1') \div (d_2 - d_1).$$

9. (Previously Presented) The computer system of claim 1, wherein said processor varies the size of at least some of said others of said plurality of tiles based on a sine function.

10. (Original) The computer system of claim 1, wherein said bar is rendered at a bottom of said display.

11. (Original) The computer system of claim 10, wherein there is a gap between said bar and said bottom of said display.

12. (Original) The computer system of claim 1 further comprising:
a user selection function for permitting a user to select a value of at least one characteristic of said bar.

13. (Original) The computer system of claim 12, wherein a maximum size to which said at least one of said plurality of tiles can be enlarged is said at least one characteristic.

14. (Original) The computer system of claim 12, wherein a default size for said plurality of tiles is said at least one characteristic.

15. (Original) The computer system of claim 12, wherein an effect width within which said at least one of said plurality of tiles have varied size is said at least one characteristic.

16. (Original) The computer system of claim 1, wherein said processor removes said bar from said display when said cursor moves away from said bar.

17. (Original) The computer system of claim 16, wherein said processor removes said bar by invoking an animation routine which makes said bar appear to slide into an edge of said display.

18. (Original) The computer system of claim 1, wherein said processor removes said bar by invoking an animation routine which makes said bar appear to slide into an edge of said display in response to at least one keystroke.

19. (Original) The computer system of claim 12, wherein a setting for an autohide capability for said bar is said at least one characteristic.

20. (Original) The computer system of claim 1, wherein said plurality of tiles occupy a single row on said display.

21. (Original) The computer system of claim 1, wherein said plurality of tiles occupy multiple rows on said display.

22. (Previously Presented) The computer system of claim 1, wherein two of said plurality of tiles are permanent residents of said bar and define endpoints thereof, and other tiles can be selectively added to and deleted from positions intermediate said two tiles by a user.

23. [Canceled]

24. (Original) The computer system of claim 12, wherein a status of objects as permanent or nonpermanent on said bar is said at least one characteristic.

25. (Original) The computer system of claim 1, wherein said cursor is proximate said bar when said cursor is positioned on or within a border of one of said plurality of tiles.

26. (Original) The computer system of claim 1, wherein said cursor is proximate said bar when said cursor is within a predetermined distance of one of said plurality of tiles.

27. (Original) The computer system of claim 1, wherein said processor displays a label associated with said at least one of said plurality of tiles.

28. (Original) The computer system of claim 27, wherein said processor displays said label with a first predetermined fade-in rate when said cursor moves proximate said at least one of said plurality of tiles from another of said plurality of tiles.

29. (Original) The computer system of claim 28, wherein said processor displays said label with a second predetermined fade-in rate when said cursor moves proximate said at least one of said plurality of tiles from outside a region associated with said bar.

30. (Original) The computer system of claim 29, wherein said first and second fade-in rates are different.

31. (Original) The computer system of claim 27, wherein said processor fades out said label when said cursor moves away from said at least one of said plurality of tiles.

32. (Original) The computer system of claim 31, wherein said processor uses a first fade out rate when said cursor moves into another of said at least one of said plurality of tiles.

33 (Original) The computer system of claim 32, wherein said processor uses a second fade out rate when said cursor moves out of a region associated with said bar.

34. (Original) The computer system of claim 33, wherein said first and second rates are different.

35. (Original) A computer system comprising:
a display;
a cursor means for pointing to a position within said display;
a userbar rendered on said display and having a plurality of tiles associated therewith; and
a processor means for varying a position of at least one of said plurality of tiles on said display when said cursor is proximate said bar on said display.

36. (Original) The computer system of claim 35, wherein each of said plurality of tiles represents an object with which a user of said computer system can interact.

37. (Original) The computer system of claim 36, wherein said objects include at least one of: applications, documents, windows and uniform resource locators.

38. (Original) The computer system of claim 35, wherein said processor varies said position in accordance with a predefined relationship between an effect width W, a default height h of said at least one of said plurality of tiles and a selected maximum height H of said at least one of said plurality of tiles.

39. (Original) The computer system of claim 38, wherein said predefined relationship includes a function S defined as:

$$S = ((H - h) \div 2) \div \sin(\pi \times (h \div 2) \div (W \times 2))$$

40. (Original) The computer system of claim 39, wherein said at least one of said plurality of tiles has a left edge and a right edge and wherein said at least one of said plurality of tiles is moved to a position such that said left edge has a distance d_1' from said cursor and said right edge has a distance d_2' from said cursor wherein:

$$d_1' = S \times \sin(\pi \div 2 \times d_1 \div W)$$

$$d_2' = S \times \sin(\pi \div 2 \times d_2 \div W)$$

41. (Original) The computer system of claim 7, wherein said at least one of said plurality of tiles is scaled by a factor of:

D8

$$1 + (d_2' - d_1') \div (d_2 - d_1)$$

wherein d_1 and d_2 are distances from said cursor to said left edge and right edge, respectively, of said at least one of said plurality of tiles prior to being moved to said position.

D9

42. (Previously Presented) The computer system of claim 35, wherein said processor also varies a magnification of said at least one of said plurality of tiles.

D10

43. (Original) The computer system of claim 42 further comprising:
means for permitting a user to select a magnitude of said magnification.

44. (Original) The computer system of claim 35, wherein said plurality of tiles have a default size which can be set by said user.

D11

45. (Previously Presented) The computer system of claim 43, wherein said magnification of said at least one of said plurality of tiles is varied based on a sine function.

D12

46. (Original) The computer system of claim 35, wherein said userbar is rendered at an edge of said display.

47. (Original) The computer system of claim 46, wherein there is a gap between said userbar and said edge of said display.

48. (Original) The computer system of claim 35 further comprising:
a user selection means for permitting a user to select a value of at least one characteristic of said userbar.

49. (Original) The computer system of claim 48, wherein a maximum size to which at least another of said plurality of tiles can be enlarged is said at least one characteristic.

50. (Original) The computer system of claim 48, wherein a default size for said plurality of tiles is said at least one characteristic.

51. (Original) The computer system of claim 48, wherein an effect width within which at least another of said plurality of tiles have varied size is said at least one characteristic.

52. (Original) The computer system of claim 35, wherein said processor means removes said userbar from said display when said cursor moves away from said userbar.

53. (Original) The computer system of claim 52, wherein said processor means removes said userbar by invoking an animation routine which makes said userbar appear to slide into an edge of said display.

54. (Original) The computer system of claim 35, wherein said processor means removes said userbar by invoking an animation routine which makes said userbar appear to slide into an edge of said display in response to at least one keystroke.

55. (Original) The computer system of claim 48, wherein a setting for an autohide capability for said userbar is said at least one characteristic.

56. (Original) The computer system of claim 35, wherein said plurality of tiles occupy a single row on said display.

57. (Original) The computer system of claim 35, wherein said plurality of tiles occupy multiple rows on said display.

58. (Original) The computer system of claim 35, wherein at least two of said plurality of tiles are permanent residents of said userbar.

59. (Original) The computer system of claim 58, wherein said at least two of said plurality of tiles establish a left and right end for said userbar.

60. (Original) The computer system of claim 48, wherein a status of objects as permanent or nonpermanent on said userbar is said at least one characteristic.

61. (Original) The computer system of claim 35, wherein said cursor is proximate said userbar when said cursor is positioned on or within a border of one of said plurality of tiles.

62. (Original) The computer system of claim 35, wherein said cursor is proximate said userbar when said cursor is within a predetermined distance of one of said plurality of tiles.

63. (Original) The computer system of claim 35, wherein said processor means displays a label associated with said at least one of said plurality of tiles.

64. (Original) The computer system of claim 63, wherein said processor means displays said label with a first predetermined fade-in rate when said cursor moves proximate said at least one of said plurality of tiles from another of said plurality of tiles.

65. (Original) The computer system of claim 64, wherein said processor means displays said label with a second predetermined fade-in rate when said cursor moves proximate said at least one of said plurality of tiles from outside a region associated with said userbar.

66. (Original) The computer system of claim 65, wherein said first and second fade-in rates are different.

67. (Original) The computer system of claim 63, wherein said processor means fades out said label when said cursor moves away from said at least one of said plurality of tiles.

D 12
68. (Original) The computer system of claim 67, wherein said processor means uses a first fade out rate when said cursor moves into another of said at least one of said plurality of tiles.

69. (Original) The computer system of claim 68, wherein said processor means uses a second fade out rate when said cursor moves out of a region associated with said bar.

70. (Original) The computer system of claim 69, wherein said first and second rates are different.

D 13
71. (Previously Presented) A method for displaying items in a graphical user interface comprising the steps of:

providing a plurality of said items in a region of said graphical user interface, each of said items having a default height associated therewith;

moving a cursor along said region; and
selectively magnifying at least one of said items closest to said cursor to a
first level and magnifying items proximate to said one item to other levels less than said
first level.

D¹³
72. (Previously Presented) The method of claim 71, further comprising the steps
of:

displaying said plurality of items in said region at said default height unless
said plurality of items exceeds a predetermined number; and

scaling said plurality of items when said plurality of items exceeds said
number.

73. [Canceled]

D¹⁴
74. (Previously Presented) The method of claim 71, wherein said step of
magnifying further comprises magnifying said items in accordance with a scaling factor S,
wherein S is a predefined relationship between an effect width W, said default height h and
a selected maximum height H of said items.

D¹⁵
75. (Original) The method of claim 74, wherein said predefined relationship is:

$$S = ((H - h) \div 2) \div \sin(\pi \times (h \div 2) \div (W \times 2)).$$

76. (Previously Presented) The method of claim 71, further comprising the step of:

setting, by a user, said first level of magnification.

D¹⁶
77. (Previously Presented) The method of claim 75, wherein said plurality of items have a left edge and a right edge respectively located at distances d_1 and d_2 from said cursor, and wherein each of said proximate items is moved to a position such that its left edge has a distance d_1' from said cursor and its right edge has a distance d_2' from said cursor wherein:

$$d_1' = S \times \sin(\pi \div 2 \times d_1 \div W)$$

$$d_2' = S \times \sin(\pi \div 2 \times d_2 \div W).$$

78. (Previously Presented) The method of claim 77, wherein said at least one of said plurality of items is scaled by a factor of:

$$1 + (d_2' - d_1') \div (d_2 - d_1)$$

79. (Previously Presented) The method of claim 71 further comprising the step of:

permitting a user to select a magnitude of said first level of magnification.

D¹⁷
80. (Original) The method of claim 71, wherein said plurality of items have a default size which can be set by a user.

81. (Original) The method of claim 71, wherein said magnification of said at least one of said plurality of items is varied based on a sine function.

82. (Original) The method of claim 71, wherein said region is proximate a bottom of said graphical user interface.

83. (Original) The method of claim 82, wherein there is a gap between said region and said bottom of said graphical user interface.

84. (Original) The method of claim 71 further comprising the step of:
permitting a user to select a value of at least one characteristic of said region.

85. (Original) The method of claim 84, wherein a maximum size to which at said at least one of said plurality of items can be enlarged is said at least one characteristic.

86. (Original) The method of claim 84, wherein a default size for said plurality of items is said at least one characteristic.

87. (Original) The method of claim 84, wherein an effect width within which said at least one of said plurality of items have varied size is said at least one characteristic.

88. (Original) The method of claim 71, further comprising the step of:
removing said plurality of items from said display when said cursor moves
away from said region.

89. (Original) The method of claim 88, further comprising the step of:
removing said plurality of items by invoking an animation routine which
makes said plurality of items appear to slide into an edge of said graphical user interface.

90. (Original) The method of claim 71, further comprising the step of:
removing said plurality of items by invoking an animation routine which
makes said plurality of items appear to slide into an edge of said display in response to at
least one keystroke.

91. (Original) The method of claim 84, wherein a setting for an autohide
capability for said plurality of items is said at least one characteristic.

92. (Original) The method of claim 71, wherein said plurality of items occupy a
single row on said graphical user interface.

93. (Original) The method of claim 71, wherein said plurality of items occupy
multiple rows on said graphical user interface.

94. (Original) The method of claim 71, wherein at least two of said plurality of items are permanent residents.

95. (Original) The method of claim 94, wherein said at least two of said plurality of tiles establish a left and right end for said plurality of items.

96. (Original) The method of claim 84, wherein a status of objects as permanent or nonpermanent within said plurality of items is said at least one characteristic.

97. (Original) The method of claim 96, further comprising the step of:
automatically rendering permanent items in said region at startup of said graphical user interface.

98. (Original) The method of claim 71, wherein said region extends beyond borders of said items.

99. (Original) The method of claim 71, further comprising the step of:
displaying a label associated with said at least one of said plurality of items.

100. (Original) The method of claim 99, wherein said step of displaying further comprises the step of:

displaying said label with a first predetermined fade-in rate when said cursor moves proximate said at least one of said plurality of items from another of said plurality of items.

101. (Original) The method of claim 100, wherein said step of displaying further comprises the step of:

displaying said label with a second predetermined fade-in rate when said cursor moves proximate said at least one of said plurality of items from outside said region.

102. (Original) The method of claim 101, wherein said first and second fade-in rates are different.

103. (Original) The method of claim 99, further comprising the step of:
fading out said label when said cursor moves away from said at least one of said plurality of item.

104. (Original) The method of claim 103, further comprising the step of:
using a first fade out rate when said cursor moves into another of said at least one of said plurality of items.

105. (Original) The method of claim 104, further comprising the step of:
using a second fade out rate when said cursor moves out of said region.

106. (Original) The method of claim 105, wherein said first and second rates are
different.

107. (Previously Presented) A computer-readable medium usable for displaying
items in a graphical user interface comprising:

means for providing a plurality of said items in a region of said graphical
user interface, each of said items having a default height associated therewith;

means for moving a cursor along said region; and

means for selectively magnifying at least one of said items closest to said
cursor to a first level and magnifying items proximate to said one item to other levels less
than said first level.

108. (Previously Presented) The computer system of claim 22, wherein said other
tiles can be selectively repositioned on said bar relative to one another among said
intermediate positions by a user.

109. (Previously Presented) A computer system comprising:

a display;

a cursor for pointing to a position within said display;

a bar rendered on said display and having a plurality of tiles associated therewith; and

a processor for varying a size of at least one of said plurality of tiles on said display when said cursor is proximate said bar on said display and for varying a position of another of said plurality of tiles in accordance with a predefined relationship that includes a function S defined as:

19

$$S = ((H - h) \div 2) \div \sin(\pi \times (h \div 2) \div (W \times 2)),$$

where W is an effect width, h is a default height of said at least one of said plurality of tiles and H is a selected maximum height of said at least one of said plurality of tiles.

110. (Previously Presented) The computer system of claim 109, wherein said another of said plurality of tiles has a left edge and a right edge respectively located at distances d_1 and d_2 from said cursor, and wherein said another of said plurality of tiles is moved to a position such that said left edge has a distance d_1' from said cursor and said right edge has a distance d_2' from said cursor wherein:

$$d_1' = S \times \sin(\pi \div 2 \times d_1 \div W)$$

$$d_2' = S \times \sin(\pi \div 2 \times d_2 \div W).$$

111. (Previously Presented) The computer system of claim 110, wherein said at least one of said plurality of tiles is scaled by a factor of:

$$1 + (d_2' - d_1') \div (d_2 - d_1)$$

wherein d_1 and d_2 are distances from said cursor to said left edge and right edge, respectively, of said another of said plurality of tiles prior to being moved to said position.

19 112. (Previously Presented) A computer system comprising:

a display;

a cursor for pointing to a position within said display;

a bar rendered on said display and having a plurality of tiles associated therewith; and

a processor for varying a size of at least one of said plurality of tiles on said display when said cursor is proximate said bar on said display and displaying a label associated with at least one of said plurality of tiles at a first predetermined fade-in rate when said cursor moves proximate said at least one of said plurality of tiles from another of said plurality of tiles, and at a second predetermined fade-in rate when said cursor moves proximate said at least one of said plurality of tiles from outside a region associated with said bar.

113. (Previously Presented) The computer system of claim 112, wherein said first and second fade-in rates are different.

114. (Previously Presented) The computer system of claim 112, wherein said processor fades out said label when said cursor moves away from said at least one of said plurality of tiles.

115. (Previously Presented) The computer system of claim 114, wherein said processor uses a first fade out rate when said cursor moves into another of said at least one of said plurality of tiles.

116. (Previously Presented) The computer system of claim 115, wherein said processor uses a second fade out rate when said cursor moves out of a region associated with said bar.

117. (Previously Presented) The computer system of claim 116, wherein first and second rates are different.

118. (Previously Presented) A method for displaying representations of objects in a graphical user interface for a computer system, comprising the steps of:

displaying a plurality of icons in a row, where each icon represents an object in the computer system;

displaying a movable cursor via which the user can select individual ones of said icons;

magnifying the size of at least one of said icons as said cursor is moved into the vicinity of said one icon; and

repositioning others of the icons along said row to accommodate the magnified size of said one icon.

19
119. (Previously Presented) The method of claim 118 further including the step of magnifying the size of other icons in said row that are proximate said one icon.

120. (Previously Presented) The method of claim 119 wherein said other icons are magnified by a factor that is inversely related to their distances from said cursor.

121. (Previously Presented) The method of claim 120 wherein the other icons that are magnified are those which are located within a defined distance of said cursor.

122. (Previously Presented) The method of claim 121 wherein the value for said defined distance is user-determinable.

123. (Previously Presented) The method of claim 120 wherein said factor is based upon the sine function.

124. (Previously Presented) The method of claim 121 wherein each icon is displayed within a corresponding tile area having two opposite edges that are respectively located at distances d_1 and d_2 from said cursor, and said other icons are magnified by the factor

$1 + (d_2' - d_1') / (d_2 - d_1)$, where:

$d_1' = S \times \sin(\pi/2 \times d_1/W)$ and

$d_2' = S \times \sin(\pi/2 \times d_2/W)$, where

W is equal to said defined distance, and

$(S = ((H-h)/2) \div \sin(\pi \times (h/2) \div (W \times 2))$, where

H is a magnified size for one dimension of said one icon, and

h is a default display size for said one dimension.

125. (Previously Presented) The method of claim 124, wherein values for H and h are user-definable.

126. (Previously Presented) The method of claim 118 where the icons at the outermost ends of said row are predetermined, and the other icons in said row are user-selectable.

127. (Previously Presented) The method of claim 118 wherein said row of icons is displayed adjacent one edge of a display for said computer system.

128. (Previously Presented) A method for displaying items in a graphical user interface, comprising the steps of:

displaying a plurality of said items at a default height in a region of said graphical user interface;

detecting that a cursor is within a threshold distance from any of said plurality of items; and

increasing the height of at least one of said items closest to said cursor from said default height to a fixed maximum level upon detecting that the cursor is within said threshold distance and maintaining said height at said fixed level while said cursor is equal to or less than said threshold distance from said one item.

129. (Previously Presented) The method of claim 128 further including the step of increasing the height of other items proximate to said one item to levels less than said maximum level.

130. (Previously Presented) The method of claim 129 wherein the heights of said other icons are increased by a factor that is inversely related to their distances from said cursor.

131. (Previously Presented) The method of claim 130 wherein the other icons whose heights are increased are those which are located within a defined distance of said cursor.

132. (Previously Presented) The method of claim 131 wherein the value for said defined distance is user-determinable.

133. (Previously Presented) The method of claim 130 wherein said factor is based upon the sine function.

134. (Previously Presented) The method of claim 128 wherein said maximum height is user-selectable.

135. (Previously Presented) The method of claim 128 wherein said items are arranged in a row along one edge of the graphical user interface to form said region.

136. (New) A method for displaying items in a graphical user interface, comprising the steps of:

displaying a plurality of user interface items along an edge of a display area in the form of a bar consisting of at least one row of said items;

detecting the positioning of a cursor within a predetermined distance from at least one of said items;

in response to said detection, magnifying the size of the item closest to said cursor to a designated level and magnifying other items proximate said closest item to levels less than said designated level; and

moving the items along said row to accommodate the magnified sizes of items so that items in the vicinity of said magnified items are not obscured.

137. (New) The method of claim 136 wherein said other items are magnified to levels that are inversely related to their distance from said closest item.

138. (New) The method of claim 136 wherein said user interface items are normally displayed at a default size in said bar and said designated level comprises a maximum magnified size for the items, and further including the steps of magnifying said closest item from said default size to said maximum size upon detecting that the cursor is positioned within said predetermined distance, and maintaining said closest item at said maximum size while said cursor is equal to or less than said predetermined distance from said closest item.

139. (New) A graphical user interface for a computer that displays a plurality of user interface items along an edge of a display area in the form of a bar consisting of at least one row of said items, and that is responsive to the positioning of a cursor within a predetermined distance of at least one of said items to magnify the size of the item closest to said cursor to a designated level and magnify other items proximate said closest item to levels less than said designated level, and to move the items along said row to accommodate the magnified sizes of items so that items in the vicinity of said magnified items are not obscured.

140. (New) The graphical user interface of claim 139 wherein said other items are magnified to levels that are inversely related to their distance from said closest item.

141. (New) The graphical user interface of claim 139 wherein said user interface items are normally displayed at a default size in said bar and said designated level comprises a maximum magnified size for the items, and wherein said closest item is magnified from said default size to said maximum size upon detecting that the cursor is positioned within said predetermined distance, and maintained at said maximum size while said cursor is equal to or less than said predetermined distance from said closest item.
